, ,

/	, ,	()	(,	,	
)		()		()		
-	2	2				T 7	0	0	()
1		3 301940,06	4	()	6 10	7	-	9	10 42,4
					676				
		409296,01		()	0,427		-2 () - 4()		
					42,4				

_	T	0.4240.42	Τ	1000.02	<u> </u>		Γ	ı ıı
2		94349,43		1000,02		-	-	-
			(
)					
			(
)					
				148,9				
		428933,88		1000,02			_	
		428933,88		1000,02		-25		-
						-25		
1								
I			(
)					
I								
I								
			(
)					
		7226.97		148,9				1000.02
		7336,87	-	-	-	-		1000,02
							(
)	
I								
							(
)	
								149.0
3		204000		3500		-	-	148,9
۱		201000	(3300				
1								
)					
I			(
I)					
1								
I								
I			(
I]					
1			,					
1)					
1)					
1								
1								
	1		I					

		<u> </u>					П
			60				
		(
)					
163504,67		-	61 -	-	-		46
						(
498000			1963 44)	-
470000		(1705,44		2113	-	
		,			(
		,)		
		(
		,			(
)			,		
			53,3				
213600		-	-	-	-		1963,44
						(
						(
)	
							53,3
	163504,67	498000	498000	() 61 163504,67	()) 61 163504,67	61 163504,67	61

		1	Т		1	Г		
	1680		-	-	-	-		1963,44
							(
)	
							(
)	
							,	
								53,3
	1680		-	-	-	-		1963,44
							(
)	
							(
)	
		1						
								53,3
1	1680		-	-	-	-		53,3 1963,44
	1680		-	-	-	-	,	53,3 1963,44
	1680		-	-	-	-	(53,3 1963,44
	1680		-	-	-	-	()	53,3 1963,44
	1680		-	-	-	-	()	53,3 1963,44
	1680		-	-	-	-	()	53,3 1963,44
	1680		-	-	-	-	()	53,3 1963,44
	1680		-	-	-	-	(53,3 1963,44
	1680		-	-	-	-	()	53,3 1963,44
	1680		-	-	-	-	(53,3 1963,44
	1680		-	-	-	-	(53,3 1963,44
	1680		-	-	-	-	(53,3 1963,44
	1680		-	-	-	-	(53,3
	1680		-	-	-	-	(53,3
	1680		-	-	-	-	(53,3
	1680		-	-	-	-	(53,3
	1680		-	-	-	-	(1963,44
						-	(1963,44
6	120000		-	-	-		(1963,44
6						3102	(1963,44
6							(1963,44
6						3102	(1963,44
6						3102	(1963,44
6						3102	(1963,44
6						3102	(1963,44
6						3102	()	1963,44
6						3102	(1963,44 53,3 76
6						3102	()	1963,44
6						3102	()	1963,44 53,3 76
6						3102	()	1963,44 53,3 76
6						3102	()	1963,44 53,3 76
6						3102	()	1963,44 53,3 76
6						3102	()	1963,44 53,3 76
6						3102	()	1963,44 53,3 76
6						3102	()	1963,44 53,3 76

,

					(
					(1500
						2800000
						1515
	120000	()			()	76
)	46
					(
					(54
					(2000
					(

,

		Γ			1	Г	Г	
							(1500
								2800000
								1515
-7	3252		(43,5		-	-	-
	4960		(43,5		(-	-
	7200		(43,5		-	-	-
	-		(43,5		-	-	-